\_\_\_\_\_Class:\_\_\_\_\_Date:\_\_\_\_\_

## Ch 1 - Statistics Success Stories

## Exhibit 1-1

Suppose you were to read about a study showing that people who sleep less than five hours a night have twice as much risk of a premature death as people who sleep seven or eight hours a night.

1. Refer to Exhibit 1-1. Can you conclude that sleeping the shorter hours *causes* a higher risk of premature death?

- a. No, because the result was clearly based on an observational study.
- b. Yes, because the result was clearly based on a randomized experiment.
- c. The answer depends on whether the research was based on an observational study or a randomized experiment, and it isn't obvious which was used.
- d. No, because the baseline risk of premature death is not given.

ANSWER: a

- 2. Refer to Exhibit 1-1. The "baseline risk" in this context is
  - a. the risk of premature death for people who sleep less than five hours a night.
  - b. the risk of premature death for people who sleep seven or eight hours a night.
  - c. the risk of premature death for all people.
  - d. the risk of premature death at the beginning of the study for those in the study.

ANSWER: b

3. Refer to Exhibit 1-1. Which of the following is *not* an example of a possible "confounding variable" in this study? a. Medications a person is taking.

- b. The amount of alcohol a person drinks in the evening.
- c. The amount of stress a person is under in their work.
- d. The amount of sleep a person gets per night.

## ANSWER: d

## Exhibit 1-2

A randomized experiment was done by randomly assigning each participant either to walk for half an hour three times a week or to sit quietly reading a book for half an hour three times a week. At the end of a year the change in participants' blood pressure over the year was measured, and the change was compared for the two groups.

4. Refer to Exhibit 1-2. This is a randomized experiment rather than an observational study because

- a. blood pressure was measured at the beginning and end of the study.
- b. the two groups were compared at the end of the study.

c. the participants were randomly assigned to either walk or read, rather than choosing their own activity.

## ANSWER: c

- 5. Refer to Exhibit 1-2. The two treatments in this study were
  - a. walking for half an hour three times a week and reading a book for half an hour three times a week.
  - b. having blood pressure measured at the beginning of the study and having blood pressure measured at the end of the study.
  - c. walking or reading a book for half an hour three times a week and having blood pressure measured.
  - d. walking or reading a book for half an hour three times a week and doing nothing.

## ANSWER: a

6. Refer to Exhibit 1-2. If a statistically significant difference in blood pressure change at the end of a year for the two

\_\_\_\_ Class:\_\_\_\_\_

Date:

## Ch 1 - Statistics Success Stories

activities was found, then

- a. it cannot be concluded that the difference in activity *caused* a difference in the change in blood pressure because in the course of a year there are lots of possible confounding variables.
- b. whether or not the difference was caused by the difference in activity depends on what else the participants did during the year.
- c. it cannot be concluded that the difference in activity *caused* a difference in the change in blood pressure because it might be the opposite, that people with high blood pressure were more likely to read a book than to walk.

d. it can be concluded that the difference in activity *caused* a difference in the change in blood pressure.

ANSWER: d

7. Which of the following is not a component of "Statistics" as defined in Chapter 1?

a. Procedures and principles for gathering data

- b. Procedures and principles for making decisions when faced with uncertainty
- c. Procedures and principles for analyzing data and information
- d. Procedures and principles for turning uncertainty into certainty

ANSWER: d

8. Which of the following is true about a dotplot and a five-number summary?

a. A dotplot displays all of the individual responses while a five-number summary does not.

b. A five-number summary displays all of the individual responses while a dotplot does not.

c. Both a dotplot and a five-number summary display all of the individual responses.

d. Neither a dotplot nor a five-number summary displays all of the individual responses.

ANSWER: a

- 9. The five numbers in a five-number summary are the
  - a. lowest value, mean, median, mode, and the highest value.
  - b. lowest value, lower margin of error, median, upper margin of error, and the highest value.
  - c. lowest value, lower quartile, median, upper quartile, and the highest value.
  - d. lowest value, 2<sup>nd</sup> lowest value, middle value, 2<sup>nd</sup> highest value, and the highest value.

## ANSWER: c

10. Student grade point averages (GPAs) are calculated by assigning a number to each letter grade earned, with A = 4, B = 3, C = 2, D = 1 and F = 0, then finding the average. A student proposes using the median of the numbers instead and calls this medGPA. A student has taken five courses (all an equal number of credit hours) and the grades were A, A, F, B, A. The usual GPA for these grades is 3.0. Should the student prefer using the median (medGPA)?

- a. No, because medGPA is F = 0 for this student.
- b. It doesn't matter, because medGPA is also B = 3.0 for this student.
- c. Yes, because medGPA is A = 4.0 for this student.
- d. No, because if the student takes one more course and gets an A or B, the usual GPA will go up but the medGPA will stay the same.

ANSWER: c

11. A pop quiz in a class resulted in the following eight quiz scores: 0, 60, 66, 78, 82, 96, 98, 100. The five-number summary for these test scores is

Class: \_\_\_\_\_ Date: \_\_\_\_\_

Ch 1 - Statistics Success Stories

a. 0, 63, 80, 97, 100. b. 66, 78, 82, 96, 98. c. 0, 66, 82, 98, 100. d. 0, 25, 50, 75, 100.

## ANSWER: a

12. Which of the following is true about the use of sample surveys?

a. Everyone in the population must also be in the sample.

- b. Data from people in the sample are used to gain information about the population.
- c. Data from people in the population are used to gain information about the sample.
- d. The population is a subset of the sample.

ANSWER: b

- 13. Which of the following is true about the margin of error for the most common types of surveys?
  - a. If the number of individuals in the sample were to be substantially increased, the margin of error would decrease.
  - b. If the number of individuals in the sample were to be substantially decreased, the margin of error would also decrease.
  - c. If the number of individuals in the sample were to be substantially increased, the margin of error would not change.
  - d. If the number of individuals in the sample were to be substantially decreased, the margin of error would not change.

ANSWER: a

14. Suppose a Gallup Poll using a sample of 400 individuals found that 25% of them supported a particular opinion. An interval that is 95% certain to contain the truth about the population percent who support that opinion is

a.  $25\% \pm 0.05\%$  or 24.95% to 25.05%.

- b.  $25\% \pm 0.25\%$  or 24.75% to 25.25%.
- c.  $25\% \pm 5\%$  or 20% to 30%.
- d.  $25\% \pm 20\%$  or 5% to 45%.

ANSWER: c

15. If a magazine sends a survey to a random sample of 10,000 of its subscribers but only 3000 of them return the survey, the sample results may not be representative of the population of subscribers because

a. they used a self-selected sample.

b. there is likely to be nonresponse bias.

- c. a volunteer sample was used.
- d. they used a random sample.

ANSWER: b

16. In the study described in Case Study 1.4, questionnaires were sent to 100,000 women asking about love, sex and relationships. Only 4.5% of the women responded. This means that

a. the margin of error for the survey was 4.5%.

- b. a random sample was not contacted.
- c. women who felt strongly did not respond.

Name:\_\_\_\_\_Class:\_\_\_\_\_Date:\_\_\_\_\_

## Ch 1 - Statistics Success Stories

d. nonresponse bias was likely to be a major problem.

ANSWER: d

17. "Does Prayer Lower Blood Pressure" was a question asked in Case Study 1.5. The moral of the story was a. cause-and-effect conclusions can generally be made in an observational study.

b. cause-and-effect conclusions cannot generally be made in an observational study.

c. cause-and-effect conclusions can generally be made in an experiment.

d. cause-and-effect conclusions cannot generally be made in an experiment.

## ANSWER: b

18. If a difference seen in sample results is "statistically significant" it means that

a. there is an important difference in the sample results.

b. there is an important difference in the population.

c. the difference observed in the sample was unlikely to have occurred if there is no difference in the population.

d. there is an important difference in the population that wasn't reflected in the sample results.

ANSWER: c

19. An organization would like to conduct a survey of a sample of their membership to make conclusions about the entire membership. Given that they have a limited budget, they should focus their attention on

a. getting as large a sample as possible, even if they are all volunteers.

b. getting as large a sample as possible, even if they are not representative.

c. getting a representative sample.

d. getting a self-selected sample.

ANSWER: c

20. One of the common elements of the eight case studies in Chapter 1 is

a. in each case, a randomized experiment is described.

b. in each case, an observational study is described.

c. in each case, confounding variables are a problem.

d. in each case, data are used to make a judgment about the situation.

## ANSWER: d

## Exhibit 1-3

The result of an Internet poll was reported as evidence that most people believe the pledge of allegiance is constitutional. The poll was conducted by posting a notice on a website and asking people to respond. The results were based on 235 people who responded. Of the 235 people, 172 (73%) believed that the pledge is constitutional, while 63 (27%) believed that the pledge is unconstitutional.

21. Refer to Exhibit 1-3. The results of this poll

a. are convincing, because 73% is an overwhelming majority.

b. are unreliable, because the sample size was too small.

c. are reliable, because the sample size was large enough.

d. cannot be generalized, because the results are based on a self-selected sample.

## ANSWER: d

Class:

Date:

## Ch 1 - Statistics Success Stories

22. Refer to Exhibit 1-3. Assuming the poll had been based on a random sample with a sample size of 235, the reported margin of error of 3%

a. was correct.

b. was incorrect; the margin of error should be less than 1.0%.

c. was incorrect; the margin of error should be about 6.5%.

d. was incorrect; the margin of error should be about 3.5%.

### ANSWER: c

23. A newspaper reported that 41% of students who had taken calculus in high school had a college freshman year GPA (grade point average) of 3.2 or higher. The headline was "High School Courses Key to College Grades". One potential problem with this headline is

- a. motivated students could have both taken calculus in high school and have a high GPA (3.2 or higher) in their freshman year in college.
- b. the margin of error was not reported in the article, so the figure 41% may be very uncertain.

c. not all students with a freshman GPA of 3.2 or higher had taken calculus.

d. not all students who had taken calculus in high school had a freshman GPA of 3.2 or higher.

ANSWER: a

24. To investigate how trans fat consumption might affect fertility, researchers analyzed data available from 18,555 healthy women who participated in the Nurses' Health Study between 1991 and 1999. All were married and trying to get pregnant. It was reported that for every 2 percent increase in the amount of calories a woman got from trans fats instead of carbohydrates, her risk of infertility increased by 73 percent.

Is the following statement true or false?

"Even though this was an observational study, a cause and effect relationship between the consumption of trans fat and fertility has been established because the increase in risk is significantly more than 50 percent."

a. True

b. False

ANSWER: b

25. To investigate how trans fat consumption might affect fertility, researchers analyzed data available from 18,555 healthy women who participated in the Nurses' Health Study between 1991 and 1999. All were married and trying to get pregnant. It was reported that for every 2 percent increase in the amount of calories a woman got from trans fats instead of carbohydrates, her risk of infertility increased by 73 percent.

Is the following statement true or false?

"The relationship between the consumption of trans fat and fertility may not be there at all, since it could all be affected by a confounding variable such as exercise or environmental variables."

a. True

b. False

ANSWER: a

26. A news article with the headline "Arming commercial pilots" reported that 50% of first class and business travelers believe that pilots should be armed as an additional security measure, while 50% believed that pilots should not be armed. The results of the study

a. show that the American public was evenly divided on whether pilots should be armed or not.

b. does not show anything about the opinion of the American public because the sample was not representative

Copyright Cengage Learning. Powered by Cognero.

 Name:
 Class:
 Date:

## Ch 1 - Statistics Success Stories

of the general public.

c. show that security was a concern for the American public.

d. does not show that security was a concern for the American public.

### ANSWER: b

27. In a study of advanced colorectal cancer, 100 patients were randomly assigned to receive either a high dose of Vitamin C or placebo. The study concluded that Vitamin C was not effective in the treatment of advanced colorectal cancer because none of the patients with disease showed any improvement in the two groups. The cause and effect conclusion

- a. might be justified because randomization was used.
- b. cannot be justified because anecdotal evidence from other patients not in the study, shows that some people who take Vitamin C do recover from their disease.
- c. cannot be justified because there could have been other systematic differences between the two treatment groups, such as age and gender, so that the two groups cannot be compared to each other.
- d. could be justified because the sample size was fairly large (100 patients).

ANSWER: a

### Exhibit 1-4

In a study of patients who had a heart attack, 3630 patients were randomly assigned to receive one of three treatments: aspirin alone, warfarin alone, or aspirin plus warfarin. The results showed that 20.0% of the aspirin group had another heart attack, stroke, or died, compared with 16.7% of the warfarin group and 15.0% of the aspirin plus warfarin group. The difference between the aspirin and warfarin groups was statistically significant, while the difference between the warfarin and aspirin plus warfarin group was not statistically significant.

28. Refer to Exhibit 1-4. The statistically significant difference between the aspirin group (20.0%) and the warfarin group (16.7%) means that

- a. the difference between the two rates, 20.0% and 16.7%, is unlikely to have resulted from two groups whose true rates of heart attack, stroke, or death were identical.
- b. the difference between the two rates, 20.0% and 16.7%, is likely to have resulted from two groups whose true rates were identical.
- c. the difference between the two rates, 20.0% and 16.7%, is likely to have resulted from the difference in sample sizes between the two groups.
- d. the difference in the two rates, 20.0% and 16.7%, is likely to have resulted from other factors, such as age and gender, on which the two groups differed.

### ANSWER: a

29. Refer to Exhibit 1-4. The non-statistically significant difference between the warfarin alone group (16.7%) and the aspirin plus warfarin group (15.0%) means that

- a. the difference between the two rates, 16.7% and 15.0%, is not medically important.
- b. the difference between the two rates, 16.7% and 15.0%, is medically important.
- c. the difference between the two rates, 16.7% and 15.0%, is unlikely to have resulted from two groups whose true rates were identical.
- d. the difference between the two rates, 16.7% and 15.0%, may have occurred by chance between two groups whose true rates were identical.

## ANSWER: d

30. An Islamic survey conducted by the Gallup organization consisted of a random sample of 10,004 people living in 9 predominantly Islamic countries. The sample was collected by interviewers going to people's homes in randomly chosen

Copyright Cengage Learning. Powered by Cognero.

Name:

Class:\_\_\_\_\_

Date:

## Ch 1 - Statistics Success Stories

areas in each of the 9 countries. The population represented by this sample was

a. all Muslims in the world.

b. all Muslims who live in any Islamic country.

c. all people, Muslim and non-Muslim, living in homes in any of the 9 countries.

d. all people, Muslim and non-Muslim, who live in the same cities and villages as the people in the sample. *ANSWER*: c

31. A random sample of 1,002 adults aged at least 18 years and living in the 48 contiguous states (i.e. any state in the United States excluding Alaska and Hawaii) was conducted by the Gallup Organization. The interviews were done over the telephone. The population represented by this sample was

a. all adult Americans in the 48 contiguous states living in a household with a phone.

b. all adult Americans living in the same cities as people who were actually sampled.

c. all adult Americans.

d. all Americans.

ANSWER: a

32. If the sample size for a poll increases from 100 people to 400 people, the margin of error

a. increases by a factor of 4, i.e. is multiplied by 4.

b. increases by a factor of 2, i.e. is multiplied by 2.

c. decreases by a factor of  $\frac{1}{2}$ , i.e. is multiplied by  $\frac{1}{2}$ .

d. decreases by a factor of  $\frac{1}{4}$ , i.e. is multiplied by  $\frac{1}{4}$ .

ANSWER: c

33. According to the CIRP Freshman Survey, UCLA's annual survey of the nation's entering students at four-year colleges and universities, conducted in 2010, female students were far less likely to report high levels of emotional health than male students (45.9 percent versus 59.1 percent), a 13.2 percentage-point difference. This difference was reported as statistically significant. The statistically significant difference between male and female students means that

- a. the difference between the two rates (45.9 percent versus 59.1 percent) is likely to have resulted from two groups whose true rates of high levels of emotional health were identical.
- b. the difference between the two rates (45.9 percent versus 59.1 percent) is unlikely to have resulted from two groups whose true rates of high levels of emotional health were identical.
- c. the difference between the two rates (45.9 percent versus 59.1 percent) is likely to have resulted from the difference in sample sizes between male and female students.
- d. the difference in the two rates (45.9 percent versus 59.1 percent) is likely to have resulted from other factors, such as age and major, on which the two groups differed.

## ANSWER: b

## Exhibit 1-5

A five number summary for hours studied in a week were 5, 12, 14, 18, and 20.

34. Refer to Exhibit 1-5. What is the value such that 50% or more of the students studied longer than that value?

- a. 5 hours
- b. 12 hours
- c. 14 hours
- d. 18 hours

DOWNLOAD	THE	Test	Bank	for	Mind	on	Statistics	6th	Edition	Utts
----------	-----	------	------	-----	------	----	------------	-----	---------	------

Name:	Class:	Date:	
-			

Ch 1 - Statistics Success Stories

ANSWER: c

35. Refer to Exhibit 1-5. What was the longest number of hours studied by anyone?

a. 12 hours

b. 14 hours

c. 18 hours

d. 20 hours

ANSWER: d

36. Refer to Exhibit 1-5. What was the shortest number of hours studied by anyone?

a. 5 hours

b. 12 hours

c. 14 hours

d. 18 hours

ANSWER: a

37. Refer to Exhibit 1-5. What is the value such that 75% or more of the students studied longer than that value?

- a. 5 hours
- b. 12 hours
- c. 14 hours
- d. 18 hours

ANSWER: b

38. Refer to Exhibit 1-5. What is the value such that 25% or more of the students studied longer than that value?

- a. 5 hours
- b. 12 hours
- c. 14 hours
- d. 18 hours

ANSWER: d

39. A sociologist has been studying college instructors and is especially interested in those instructors who teach night classes. He has been collecting data for years. Some of the variables are the course grade from the student evaluations, the number of students who take the course, the age of the instructor, the income of the instructor, the field of the course (social sciences, natural sciences, humanities, music/arts), the highest level of education the instructor has completed (Bachelor, Master, Ph.D.). The sociologist has looked at relationships between many of the variables and tested if there were differences between the different fields. The only difference that was found to be significant was the mean age of social science instructors and the mean age of natural science instructors.

What is most likely the cause of this one significant result?

a. a false negative

b. data snooping

c. a confounding variable

d. the wrong question was asked

ANSWER: b

Name:

\_\_\_\_\_Class:\_\_\_\_\_

Date:

# Ch 1 - Statistics Success Stories

40. Which of the statistical principles stated below is *false*?

- a. A statistically significant finding does not necessarily have practical significance or importance. When a study reports a statistically significant finding, we also need to find out the magnitude of the result.
- b. A change in the rate or risk of occurrence of something is only useful when the base rate or baseline risk is reported as well.
- c. When you read about a reported relationship or difference, you also need to find out how many different things were tested. The more tests that are done, the more likely it is that a statistically significant difference is a false positive that can be explained by chance.
- d. Sample sizes are dependent on population sizes. So, in order to give reasonably accurate information about a population of many millions, we have to take a sample of many thousands.

ANSWER: d

41. In 2001 the baseball player Barry Bonds hit a record 73 home runs. During that year, he was at bat 476 times. In 1986, Bond's first season, he hit 16 home runs out of 413 at bats. Calculate Bond's rate of home runs for the 2001 and 1986 seasons.

ANSWER: For 2001, it is 15.34%, and for 1986 it is 3.87%.

42. In 2001 the baseball player Barry Bonds had 156 base hits out of 476 at bats. In 1986, Bond's first season, he had 92 hits out of 413 at bats. Calculate Bond's batting average (ratio of base hits to times at bat) for the 2001 and 1986 seasons. *ANSWER:* For 2001 it was 0.328, and for 1986 it was 0.223.

43. In 1992, the total number of deaths among American men aged 15-19 was 10,747, with 3,664 deaths among American women aged 15-19 years. The total numbers of 15-19 year olds were 8.78 million men and 8.33 million women. Calculate the death rates per 100,000 for 15-19 year old men and women. Was the rate for men higher or lower than for women? *ANSWER:* For men: 122 per 100,000 and for women: 44 per 100,000. Men's death rate was higher than women's.

44. An Islamic survey conducted by the Gallup organization consisted of a random sample of 10,004 people living in 9 predominantly Islamic countries. Calculate the approximate margin of error for the survey. *ANSWER:* Margin of error = 0.010 or 1%.

### Exhibit 1-6

In a 1994 Census Bureau report, the total number of households and the number of households with a married couple and their own children were reported for the years 1990 and for 1994. The results are given below:

Year	Number of households with married couple and own children (in thousands)	Total number of households (in thousands)
1990	24,537	93,347
1994	25,058	97,107

One newspaper reported these results with the following headline: "Number of Two-Parent Families Up." Another newspaper, based on the percentages, reported on the same results with the headline: "Traditional Families Less Common."

45. Refer to Exhibit 1-6. In 1990, what percentage of households consisted of a married couple with children? *ANSWER:* 26.29%

46. Refer to Exhibit 1-6. In 1994, what percentage of households consisted of a married couple with children? *ANSWER:* 25.80%

Copyright Cengage Learning. Powered by Cognero.

Name:

\_\_\_\_\_Class:

Date:

# Ch 1 - Statistics Success Stories

47. Refer to Exhibit 1-6. Both newspapers reported correct figures; explain why it was possible for them to come to opposite conclusions. Which conclusion do you think is more descriptive of the trend?

ANSWER: Although the actual number of married households increased, the percentage of married households decreased. This occurred because the number of households also increased between 1990 and 1994. Percentages are a better way to compare the two years. The headline "Traditional families less common" was more accurate, although the percentage change was very slight. Comparison over a longer time period would be more meaningful.

### Exhibit 1-7

The results of 2,475 people on trial for murder are shown below by the race of the victim (black or white) and the verdict (death penalty yes or no). These results were used in a Supreme Court trial on behalf of a defendant.

		Verdict		
<b>Race of Victim</b>	<b>Guilty (Death Penalty)</b>	Not Guilty	Total	
Black	20	1482	1502	
White	108	865	973	
Total	128	2347	2475	

48. Refer to Exhibit 1-7. Calculate the percentage of death penalties for cases where the race of the victim was white, and the percentage where the race of the victim was black.

ANSWER: White: 11.10% and Black: 1.33%.

49. Refer to Exhibit 1-7. What are some confounding variables that might also explain the observed difference in percentages of death penalties for cases where the victim was white versus black? *ANSWER:* The gender and age of the victim, or degree of violence involved, are potential confounding variables.

50. In the Sydney 2000 Olympics, Cathy Freeman (Australia) won the gold medal in the women's 400 meter event. Lorraine Graham (Jamaica) won the silver medal, and Katharine Merry (Great Britain) won the bronze. The times (in seconds) of the 8 finalists are listed below. Calculate the five-number summary for the women's 400 meter final.

49.11 49.58 49.72 49.79 49.96 50.05 50.12 51.04 *ANSWER:* The five-number summary is: 49.11, 49.65, 49.875, 50.085, 51.04.

51. In the Sydney 2000 Olympics, Michael Johnson (United States) won the gold medal in the men's 400 meter event. Alvin Harrison (United States) won the silver medal, and Gregory Haughton (Jamaica) won the bronze. The times (in seconds) of the 8 finalists are listed below. Calculate the five-number summary for the men's 400 meter final.

43.84 44.40 44.70 45.01 45.14 45.26 45.42 45.55 *ANSWER:* The five-number summary is: 43.84, 44.55, 45.075, 45.34, 45.55.

52. Drawn below are two dotplots displaying the heights (in inches) of 94 females and 77 males. Also given are the 5 number summaries. Describe any differences or similarities between the two sets of data.

```
Name:_____Class:_____Date:_
```

## Ch 1 - Statistics Success Stories



Descriptive statistics for height (in inches) for male and female participants

Sex	n	Min	Q1	Median	Q3	Max
Female	94	59	63	64	66	70
Male	77	57	68	70	72	77

ANSWER: In general the males are taller than the females. For instance, the median height of males (70 inches) is greater than the median height of females (64 inches) and 75% of the men are taller than 68 inches, while 75% of the women are shorter than 66 inches. But, the low value for the males (57 inches) is less than the low value for the females (59 inches).

53. Drawn below are two dotplots displaying the number of letters that could be written in 15 seconds among 63 students using their dominant hand and then using their non-dominant hand. Also given are the 5 number summaries. Describe any differences or similarities between the two sets of data.



Descriptive statistics for the number of letters that could be written using the dominant and non-dominant hand

Hand	п	Min	Q1	Median	Q3	Max	
Dominant	63	18	31	34	39	48	
Non-dominant	63	6	10	12	16	24	

Copyright Cengage Learning. Powered by Cognero.

Class:

Date:

## Ch 1 - Statistics Success Stories

ANSWER: The two distributions are very different. The median number of letters by the dominant hand (34) is much greater than the median number by the non-dominant hand (12) and 75% of the letters by the dominant hand were greater than 31, while none of the letters written by the non-dominant hand were greater than 24 letters. The values for the dominant hand were much more spread out than the values for the non-dominant hand.

54. Drawn below are two dotplots displaying the number of minutes spent talking on the telephone during a typical week for 36 female and 39 male students at Penn State University. Also given are the five number summaries. Describe any differences or similarities between the two sets of data.

Females



Descriptive statistics for number of minutes spent talking on the phone for male and female students

Sex	n	Min	Q1	Median	Q3	Max
Female	36	0	60	120	200	600
Male	39	5	30	60	120	600

ANSWER: The median time for females (120 minutes) was much longer than for males (60 minutes). Both distributions have a few people who talked an unusually long time: the maximum time was 600 minutes for both females and males.

55. Drawn below are two dotplots displaying the number of minutes spent exercising during a typical week for 36 female and 39 male students at Penn State University. Also given are the five number summaries. Describe any differences or similarities between the two sets of data.

mynursytest.store

Females



Page 12

Name: \_\_\_\_\_

Class:

Date:

## Ch 1 - Statistics Success Stories

Descriptive statistics for number of minutes spent exercising for male and female students

Sex	n	Min	Q1	Median	Q3	Max
Female	36	0	4	120	200	500
Male	39	0	30	120	300	1440

ANSWER: The median minutes of exercise are the same for both females and males (120 minutes). The distributions are roughly similar, except for one outlying value: one man exercised 1440 minutes.

56. Drawn below are two dotplots displaying the dollar amount spent on textbooks for one semester for 36 female and 39 male students at Penn State University. Also given are the five number summaries. Describe any differences or similarities between the two sets of data.

#### Females



Descriptive statistics for amount spent on textbooks (in dollars) for male and female students

Sex	п	Min	Q1	Median	Q3	Max	
Female	36	135	200	282.50	340	500	
Male	39	0	175	279	350	540	

ANSWER: The median values, as well as the quartiles, are similar. However, the range of values for the males (\$0 to \$540) is greater than for females (\$135 to \$500).

### Exhibit 1-8

The following question(s) are based on a study (part of the Women's Health Initiative) of healthy women volunteers. A total of 16,608 women were randomly assigned to take either placebo or a popular hormone replacement therapy (HRT) for eight years. The study was stopped after 5 years in part because the women on HRT had a higher rate of heart attacks than the placebo group.

57. Refer to Exhibit 1-8. The rate of heart attacks for women on HRT was 29% higher than the rate in the placebo group. The baseline rate of heart attacks in the placebo group was 30 per 10,000 women. What was the rate of heart attacks in the HRT group?

ANSWER: 38.7 per 10,000 in the HRT group.

58. Refer to Exhibit 1-8. The rate of strokes for women in the HRT group was 41% higher than the rate of strokes for women in the placebo group. The baseline rate of strokes in the placebo group was 21 per 10,000 women. What was the rate of strokes in the HRT group?

ANSWER: 29.6 per 10,000 in the HRT group.

59. Refer to Exhibit 1-8. The rate of invasive breast cancer was 30 per 10,000 women in the placebo group and 38 per

Copyright Cengage Learning. Powered by Cognero.

Name: \_\_\_\_\_ Class: \_\_\_\_\_ Date: \_\_\_\_\_

## Ch 1 - Statistics Success Stories

10,000 women in the HRT group. What was the increase in the rate of breast cancers in the HRT group compared to the rate in the placebo group?

ANSWER: The rate in the HRT group was 26.7% higher than in the placebo group.

60. In a National Cancer Institute study of the potential benefits of breast self-exams, 226,064 Chinese women in Shanghai were randomly assigned to a breast self-exam instruction group (132,979 women) or a control group (133,085 women). Over the next 10 to 11 years, there were 131 breast cancer deaths in the self-exam group, and 135 breast cancer deaths in the control group. The authors concluded that "intensive instruction in breast self-exam did not reduce mortality from breast cancer." What were the rates of breast cancer deaths in the two groups per 100,000 women? ANSWER: 98.5 per 100,000 in the self-exam group and 101.4 per 100,000 in the control group.

### Exhibit 1-9

According to a CNN poll released in January of 2010, 56 percent of the public opposed the stimulus bill, with 42 percent supportive of the plan. The CNN/Opinion Research Corporation poll was conducted January 8-10, with 1,021 adult Americans questioned by telephone. The survey's sampling error was reported as plus or minus 3 percentage points.

61. Refer to Exhibit 1-9. How many people in the sample opposed the stimulus bill? ANSWER: 572

62. Refer to Exhibit 1-9. In March of 2009, just weeks after the stimulus was signed into law by President Obama, a CNN survey indicated that 54 percent supported the program, with 44 percent opposed. If we wish to compare the supporting rates between 2010 and 2009, what would be the base rate? ANSWER: 54% or 54 per 100

63. Refer to Exhibit 1-9. What is the approximate margin of error for this survey? Did the story report the correct margin of error?

ANSWER: According to the report "plus or minus 3 percentage points". Using the formula, we get 0.0313. So the reported margin of error was correct.

64. Refer to Exhibit 1-9. Provide an interval of numbers that is 95% certain to cover the true percentage of Americans who supported the bill in 2010. ANSWER: 42% ± 3% or (39%, 45%) or (0.39, 0.45).

65. A survey of people applying for a mortgage showed that among white people with a bad credit rating, 90% were approved for mortgages, whereas among black people with a bad credit rating, 81% were approved. What confounding variable could also explain the apparent racial difference in the percentage of approved mortgages? ANSWER: Amount of other assets and income level are both potential confounding variables.

66. In a poll of students in grades 6 through 12, 13% reported that someone had seriously threatened to shoot them in the past year. This percentage was based on a sample of 2,508 students in 96 schools for which the principal had to give consent before the students could be surveyed. Give one possible explanation of why the sample may not have been representative of the population of all students in grades 6 through 12.

ANSWER: The principals who taught in high crime neighborhoods may have been more willing to participate in the survey than principals in low crime neighborhoods.

67. Over a 30-year period, the rate of the number of people killed by lightning compared to people killed by hurricanes was 350%. If the number of people killed by hurricanes was 16, what was the number of people killed by lightning? Is lightning a major cause of death?

ANSWER: The number killed by lightning is only 72 over a 30-year period. Lightning is not a major cause of death.

Copyright Cengage Learning. Powered by Cognero.

 Name:
 Class:
 Date:

# Ch 1 - Statistics Success Stories

## Exhibit 1-10

The table below shows the results of a survey of students who took college prep courses who were asked to rate their high school education.

Rating	Number of Students (thousands)
Excellent	136
Good	261
Average	122
Below Average	27
Very Inadequate	43
Total	589

68. Refer to Exhibit 1-10. Calculate the percentage of students who gave an excellent rating to their high schools. ANSWER: 23.1%

69. Refer to Exhibit 1-10. Calculate the percentage of students who gave a good rating to their high schools. ANSWER: 44.3%

70. Suppose that a survey of 20,000 high school students (10,000 girls and 10,000 boys) was done. Students were asked if they had used cocaine during the last 30 days. 4.9% of the boys and 4.2% of the girls reported using cocaine. The difference between the two percentages is statistically significant. Explain why this difference may not be practically significant.

ANSWER: The difference between 4.9% and 4.2% is only 0.7%. It would make sense to report the combined result as 4.6% of high school students said they had used cocaine during the last 30 days.

71. In the presidential election of 1936, the Democratic incumbent Franklin Roosevelt was re-elected over the Republican challenger Alf Landon. Before the election, the magazine Literary Digest had published the results of a questionnaire sent to 10 million people: 2.3 million people chose to reply to the survey. The poll incorrectly predicted that Landon would win the election. Explain why this prediction was inherently unreliable.

ANSWER: The sample of 2.3 million people was a self-selected sample because it was based on voluntary responses. Hence the sample was not representative of the voting population.

72. In 1936, George Gallup correctly predicted the winner of the presidential election to be Franklin Roosevelt. His prediction was based on a random sample of 50,000 people. What was the margin of error for Gallup's survey? ANSWER: Margin of error = 0.0045 or 0.45%

73. A newspaper reported that 41% of students who had taken calculus in high school had a first year college GPA (grade point average) of 3.2 or higher. Explain why it would also have been useful to know what the baseline rate was (i.e. the proportion of students without calculus who had a GPA of 3.2 or higher).

ANSWER: It is possible that students without calculus could also have 41% with a GPA of 3.2 or higher; we want to know what the baseline rate was in order to compare the two percentages.

## Exhibit 1-11

First-year college students' self-ratings of their emotional health dropped to record low levels in 2010, according to the CIRP Freshman Survey, UCLA's annual survey of the nation's entering students at four-year colleges and universities. The rate of students who reported that their emotional health was in the "highest 10 percent" or "above average" was 519 per 1000 student. This was a drop of 34 per 1000 students from 2009 and a significant decline from the rate of students who placed themselves in those categories when self-ratings of emotional health were first measured in 1985.

74. Refer to Exhibit 1-11. What was the rate of students who reported that their emotional health was in the "highest 10

Copyright Cengage Learning. Powered by Cognero.

 Name:
 Class:
 Date:

Ch 1 - Statistics Success Stories

percent" or "above average" in 2009? ANSWER: 55.3 percent

75. Refer to Exhibit 1-11. Consider the rate in 1985 as the baseline rate. This rate was 636 per 1000 students. What was the decrease in the rate of students who reported that their emotional health was in the "highest 10 percent" or "above average" as compared to this baseline rate?

ANSWER: The rate in 2010 was 18.4% lower than in 1985.

## Exhibit 1-12

According to statistics published by the Centers for Disease Control and Prevention in January of 2011, 25.8 million people, or 8.3% of the U.S. population, are affected by either type 1 or type 2 diabetes.

76. Refer to Exhibit 1-12. Based on the numbers published by the CDCP, roughly how many people lived in the U.S. in January of 2011?

ANSWER: 311 million people

77. Refer to Exhibit 1-12. Suppose these results are based on hospital records of 10,000 patients. Provide an interval of numbers that is 95% certain to cover the true percentage of Americans who are affected by either type 1 or type 2 diabetes.

ANSWER:  $0.083 \pm 0.01$  or (0.082, 0.084) or 8.2 to 8.4 percent.

## Exhibit 1-13

Gallup's standard of living measure reports the percentage of Americans who say their standard of living is getting better versus the percentage who say their standard of living is getting worse. Results are based on telephone interviews with approximately 3,000 national adults. The margin of error is reported as  $\pm 2$  percentage points. In January of 2011, 49% reported that their standard of living is getting better.

78. Refer to Exhibit 1-13. What is the approximate margin of error for this survey? Did the story report the correct margin of error?

ANSWER: According to the report "±2 percentage points". Using the formula, we get 0.0183. So the reported margin of error was approximately correct.

79. Refer to Exhibit 1-13. Provide an interval of numbers that is 95% certain to cover the true percentage of Americans who report that their standard of living is getting better.

ANSWER:  $0.49 \pm 0.02$  or (0.47, 0.51) or 47 to 51 percent.